

NR 213 **DALEGARN**
vancouver 2010

TM/MC



DALEGARN
dalegarn.no



Forsiden:
Nr. 21301
Heilo/Falk
Unisex, str, S-XXXL

Nr. 21301
Heilo/Falk
Unisex, str, S-XXXL

Nr. 21302
Daletta
Daletta, str, XS-XXL



Marit Bjørgen

Martin Johnsrud Sundby

Astrid Urenholdt Jacobsen.

Vinter-OL i 2010 arrangeres i Vancouver i Canada.
Vancouver ligger på Canadas vestkyst i provinsen British Columbia.

Dalegarn har i denne anledning utviklet en egen OL genser. Genseren bygger på norske mønstertradisjoner for ski- og fritidsgensere, men den har samtidig et moderne uttrykk, aktuelle snitt og tradisjonelle farger. OL genseren 2010 er designet av designer Kristina Hjelde. Dette er en flott og sporty genser for hele familien!

OL genseren Vancouver 2010 strikkes i garnkvalitetene Heilo, Falk, Daletta eller Dale Baby Ull.

Heilo er den store klassikeren fra Dalegarn i 100% ren, ny og norsk ull. Garnkvaliteten har vært i produksjon siden 1938. Plagg strikket i Heilo blir svært slitesterke, og får en jevn og fin overflate fordi vi bruker den beste ullen fra de norske sauene.

Falk er en garnkvalitet i 100 % ren, ny ull som kan vaskes i maskin. Falk egner seg spesielt godt til barneplagg, fordi plaggene blir slitesterke og svært behagelige i bruk.

Daletta er et slitesterkt ullgarn, (100 % ull) som gir tynne og lette strikkeplagg. Plagg strikket i Daletta blir ekstra myke og kan vaskes i maskin.

Dale Baby Ull er et svært mykt ullgarn, som er spunnet av den beste kvalitetsullen fra merino sauene. Ullen er grundig kjemmet, slik at plaggene blir myke og behagelige mot barnets hud. Plaggene tåler hyppig vask i maskin og holder seg fine etter lang tids bruk.

Garn, oppskrift og O L merket 2010 får du kjøpt hos din lokale Dalegarn forhandler.

Dalegarn ønsker de norske ski utøverne lykke til i Vancouver!



Nr. 21302
Daletta
Daletta, str, XS-XXL



Nr. 21301
Heilo/Falk
Unisex, str, S-XXXL



Nr. 21303
Falk. Alt. Heilo/Lerke
Barn, str. 2 – 12 år



NORWEGIAN PATTERNS


Most Norwegian knitting designs, especially those involving color work, are symmetrical in nature along central stitches of both front and back. Thus, due to the complexity of Norwegian patterning, an even number of repeats often does not occur as in Fair Isle knitting; the knitter is instructed to place markers at specified points in the work, marking the patterns' side edges. It is important to take care when reading instructions and charts to keep the designs centered on both the garment's front and back. To work from a Norwegian pattern graph begin at the first marker (left side of front for pullovers or right front opening for cardigans) with the stitch marked "Beg here" on the graph and work to the next marker (right side of front/back for pullovers and cardigans). Work the back of the body, beginning again as instructed on the graph. For pull-overs, complete the round or for cardigans, work to the next marker and begin the left front so that the left front is a mirror image of the right front. The pattern will be centered on both front and back of the garment, matching at the shoulders.

SIZES & GAUGE

Study the finished measurements listed in the pattern; the smallest size is listed first on both the graphs and in the pattern instructions. Many of the designs are generously sized, especially the unisex sweaters, so it is important to choose the size that will fit properly.

It is important to maintain the correct gauge while knitting because the finished measurements and shape of your garment are completely dependent upon gauge. If you knit looser than the gauge given in the pattern instructions, try needles one size smaller. If you knit tighter, try needles one size larger. Carefully check your gauge over both St st and color work pattern; some knitters will need to change to larger needles when working the color work pattern to obtain the correct gauge.

SLEEVE & SHOULDER SEAMS



PURE NEW WOOL

ABBREVIATIONS

approx = approximately	p = purl
beg = begin(ning)	p2tog = purl 2 stitches together
C O = cast on	psso = pass slipped stitch(es) over
C OFF = cast off	p-wise = purlwise, as if to purl
CC = contrast color	rem = remain(ing)(der)
cir = circular	rep = repeat(s)(ing)
cm = centimeter(s)	rnd(s) = round(s)
cn = cable needle	RS = right side(s)
cont = continu(e)(ing)	tog = together
dec = decreas(e/s)(ing)	ssk = slip next two sts k-wise, one at a time, then insert tip of left needle into fronts of these 2 stitches and knit them together
dp = double pointed	st(s) = stitch(es)
g st = garter stitch	St st = stockinette stitch
gr = gram(s)	tbl = through the back of the loop(s)
inc = increas(e/s)(ing)	WS = wrong side(s)
k = knit	yd(s) = yard(s)
k2tog = knit 2 stitches together	yo = yarn over needle to make 1 stitch
k-wise = knitwise, as if to knit	
m = meter(s)	
MC = main color	
mm = millimeter(s)	

DALE BABY ULL

100% Pure Merino Superwash Fingering Weight Wool. *Care Instructions:* Machine wash (delicate cycle) or hand wash in warm water using mild/neutral detergent. Dry flat; do not put in dryer. May be dry cleaned.

DALETTA

100% Pure Superwash Fingering Weight Wool. *Care instructions:* Machine wash (delicate cycle) or hand wash in cool water using mild/neutral detergent. Dry flat; do not put in dryer. May be dry cleaned.

FALK

100% Pure Superwash Sport Weight Wool. *Care instructions:* Machine wash (delicate cycle) or hand wash in cold water using mild/neutral detergent. Dry flat; do not put in dryer. May be dry cleaned.

HEILO

100% Pure New Classic Norwegian Sport Weight Wool. *Care instructions:* Hand wash in cold water using mild/neutral detergent. Dry flat; do not put in dryer. May be dry cleaned.



Do not
bleach



Gentle
cycle spin




Steam lightly with
steam iron, if needed



Dry Clean with perchlorethylene
using normal methods

The patterns in this book have been developed and tested by our design division. Every effort has been made to make the knitting directions in this book as accurate as possible. However, we cannot be responsible for variations due to individual knitters, human error or typographical mistakes.

Copyright 2009, Dale of Norway, Inc. First edition. All rights reserved. No portion of this book may be copied, leased, resold or otherwise distributed without the written permission of Dale of Norway, Inc. For further information write: Dale of Norway, 4750 Shelburne Road, Shelburne, VT 05482.

**MATERIALS: HEILO OR FALK**

SIZES: S M L XL XXL XXXL

PULLOVER:

Color 1:	650	700	750	800	850	900 gr
Color 2:	50	50	50	100	100	100 gr
Color 3:	100	100	100	100	150	150 gr

SIZES: Woman's Men's

PATTERNED CAP:

Color 1:	100	100 gr
Color 2:	50 gr or remnants	for all sizes
Color 3:	50 gr or remnants	for all sizes

RIBBED CAP:

Color 1:	100	100 gr
Color 3:	50 gr or remnants	for all sizes

MITTENS:

Color 1:	50	50 gr
Color 2:	50 gr or remnants	for all sizes
Color 3:	50 gr or remnants	for all sizes

STOCKINGS:

Color 1:	250	300 gr
Color 2:	50	50 gr
Color 3:	50	50 gr

HEADBAND (one size):

Color 1:	50 gr
Color 2:	50 gr or remnants
Color 3:	50 gr or remnants


COLORWAYS:

Option	Color Number
I	C1 - grey heather 0007
	C2 - mist blue 5813
	C3 - charcoal heather 0083
II	C1 - black 0090
	C2 - natural 0020
	C3 - cherry red 4018

SUGGESTED NEEDLE SIZES: Cir and dp needles in sizes 2.5 mm, 3 mm and 3.5 mm, crochet hook in size 2 mm, st markers and st holders for Stockings. **Note:** US and metric needle sizes often do not match exactly and size equivalencies have changed. The original version of this pattern was written to use metric size needles; if in doubt as to whether a given US needle size is the same as a metric size, use the metric size needle. As always, please take the time to check your gauge carefully and change needle sizes as needed to obtain the correct gauge.

GAUGE: 24 sts and 30 rnds over St st using middle size needles, and 28 rnds over color work pattern using largest needles = 4"/10 cm x 4"/10 cm; 38 sts over k2, p2 rib = approx 4"/10 cm.

ACCESSORIES: Crewneck Pullover, patch, and shock cord and stopper; and Pullover with Zipper, patch, shock cord and stopper, and 6¼"/16 cm zipper.

FINISHED MEASUREMENTS:**Pullovers:**

A = Chest Width: 39¾" (42½", 44⅞", 47⅝", 50⅜", 52¾")/
101 (108, 114, 121, 128, 134) cm

B = Body Length: 25⅝" (26⅜", 27⅞", 28", 28¾", 29½")/
65 (67, 69, 71, 73, 75) cm

C = Sleeve Length: 19¾" (20⅛", 20½", 20⅞", 21¼", 21⅝")/
50 (51, 52, 53, 54, 55) cm

D = Armhole Depth: 8⅞" (9¼", 9⅝", 10", 10⅝", 10⅞")/
22.5 (23.5, 24.5, 25.5, 27, 27.5) cm

Watch gauge carefully to obtain the correct finished measurements!

PULLOVER WITH ZIPPER

BODY: With smallest cir needle and Color 1, C O 270 (286, 302, 318, 334, 350) sts. Join and, working in the rnd, mark beg of rnd. Work ⅞"/2 cm of k1, p1 rib, ending last rnd 7 sts before end of rnd. K2tog, yo, k next 10 sts, yo, k2tog, then work to end of rnd. Cont rib until hem measures 1⅞"/3 cm from bottom edge. K 1 rnd, then p 1 rnd for fold line. Change to middle size cir needle and place side markers at the beg of rnd and after 135 (143, 151, 159, 167, 175) sts. Set pattern across next rnd in this manner: K 1 st, [p 2 sts, k 2 sts] 4 times, p 2 sts, k the next 97 (105, 113, 121, 129, 137) sts, [p 2 sts, k 2 sts] 9 times, p 2 sts, k the next 97 (105, 113, 121, 129, 137) sts, [p 2 sts, k 2 sts] 4 times, end p 2 sts, k 1 st. Cont as set until body measures 16½" (17", 17⅞", 17¾", 18⅞", 18½")/42 (43, 44, 45, 46, 47) cm from fold line. Next rnd, k 1 st, [p2tog, k 2 sts] 4 times, p2tog, k the next 97 (105, 113, 121, 129, 137) sts, [p2tog, k 2 sts] 9 times, p2tog, k the next 97 (105, 113, 121, 129, 137) sts, [p2tog, k 2 sts] 4 times, end p2tog, k 1 st – 250 (266, 282, 298, 314, 330) sts. Next rnd, slip first st, [p 1 st, k2tog] 4 times, p 1 st, k the next 97 (105, 113, 121, 129, 137) sts, [p 1 st, k2tog] 9 times, p 1 st, k the next 97 (105, 113, 121, 129, 137) sts, [p 1 st, k2tog] 4 times, p 1 st, then end k tog last st of rnd and first st of rnd – 232 (248, 264, 280, 296, 312) sts. Check to make sure markers are at the beg of rnd and after 116 (124, 132, 140, 148, 156) sts. K 1 rnd and dec 1 st after both markers – 230

(246, 262, 278, 294, 310) sts. Cont in St st over all sts without further dec until body measures 18⁷/₈" (19³/₄", 20¹/₂", 21¹/₄", 22", 22⁷/₈")/48 (50, 52, 54, 56, 58) cm from fold line.

PLACKET OPENING: Next rnd, k first 56 (60, 64, 68, 72, 76) sts, C OFF the next 3 sts for bottom of zipper placket opening, then k to end of rnd – 227 (243, 259, 275, 291, 307) sts. Next rnd, C O 3 new sts over C OFF sts of previous rnd (these are cutting sts; work in St st and exclude from st counts). Work without further dec until body measures 22¹/₂" (23¹/₄", 24", 24³/₄", 25⁵/₈", 26³/₈")/57 (59, 61, 63, 65, 67) cm from fold line.

FRONT NECK OPENING: Next rnd, k first 47 (50, 53, 56, 59, 62) sts, C OFF the next 21 (23, 25, 27, 29, 31) sts for front neck opening [the 3 cutting sts, plus 9 (10, 11, 12, 13, 14) sts on either side], then k to end of rnd – 209 (223, 237, 251, 265, 279) sts. Mark center st of back. Cut yarn and slip left front shoulder sts from left needle to right needle. Reattach yarn and, working back and forth, beg rows at front neck edges. Cont St st and C OFF 2 sts at the beg of first 4 rows, then dec 1 st at the beg and end of every other row 4 (4, 4, 5, 5, 5) times. **AT THE SAME TIME**, when body measures 22⁷/₈" (23⁵/₈", 24³/₈", 25¹/₄", 26", 26³/₈")/58 (60, 62, 64, 66, 68) cm from fold line, beg Pattern A, placing center back of pattern at marked st at center of back and count back on graph to find starting point for pattern at front neck edge. Cont without further shaping until body measures 24³/₄" (25⁵/₈", 26³/₈", 27¹/₈", 28", 28³/₄")/63 (65, 67, 69, 71, 73) cm from fold line.

BACK NECK OPENING: Cont pattern and work first 82 (88, 94, 98, 104, 110) sts, C OFF the next 29 (31, 33, 37, 39, 41) sts for back neck opening, then work to end of row. Working each side of body separately over both front and back of each shoulder, cont pattern and C OFF every other row at back neck edge, 2 sts once, then 1 st twice – 78 (84, 90, 94, 100, 106) sts. When pattern is complete, p 1 row on RS (or k 1 row on WS) with Color 3. C OFF. Complete other side of body to match, placing back neck shaping on opposite side.

SLEEVES: With smallest dp needles and Color 1, C O 56 (56, 60, 60, 64) sts. Join and, working in the rnd, mark beg of rnd. Work 2³/₄"/7cm of k2, p2 rib and inc 1 st on last rnd – 57 (57, 61, 61, 61, 65) sts. Change to middle size dp needles. Beg St st and **AT THE SAME TIME**, inc 1 st at the beg and end of every fifth rnd 13 (7, 5, 0, 0, 0) times, every fourth rnd 14 (22, 25, 32, 27, 30) times, then every third rnd 0 (0, 0, 0, 8, 5) times, leaving 2 sts between inc sts. In the meantime, when sleeve measures 12⁵/₈" (13", 13³/₈", 13³/₄", 14¹/₈", 14¹/₂")/32 (33, 34, 35, 36, 37) cm from bottom of rib, work Pattern B, placing center st of graph at center of sleeve and working inc sts into pattern – 111 (115, 121, 125, 131, 135) sts. When pattern is complete, sleeve should measure approx 19³/₄" (20¹/₈", 20¹/₂", 20⁷/₈", 21¹/₄", 21⁵/₈")/50 (51, 52, 53, 54, 55) cm from bottom of rib. P 5 rnds with Color 3 for facing, then C OFF loosely. Make second sleeve to match.


FINISHING: Lay body and sleeves out to finished measurements and steam lightly; do not steam ribs. Fold lower edge of body to inside along fold line and sew loosely to inside, leaving an opening at lower right side of body to insert shock cord. Lay sleeves flat and measure width at top of sleeves below facings. Mark this width on each side of body from shoulders down for armholes. Sew 2 machine seams, 2 sts out from where the side markers were placed and across bottom of the 4 sts for armholes, and along both sides of the cutting sts for placket opening. Cut between the pairs of machine stitching, being careful not to cut stitching at bottom of armholes. Sew shoulder seams as shown on page 1.

NECKBAND: With smallest cir needle, Color 1 and with RS facing, beg at right front edge of placket opening and pick up 118 (122, 126, 130, 134, 138) sts along neck edge using a crochet hook 1/2-metric size smaller than needles to pick up sts k-wise. Working back and forth, beg with a WS row and work 2"/5 cm of k2, p2 rib, ending with a WS row. Change to Color 3 and k 1 row. Cont rib until neckband measures 4³/₄"/12 cm. C OFF loosely in rib. Place marker 2³/₈"/6 cm from neckline for fold line.

FRONT PLACKETS: With smallest cir needle, Color 1 and with RS facing, pick up 12 sts per 2"/5 cm along one side of placket opening, 1 st in on body side from machine stitching, and end of neckband to marker in same manner as neckband. Working back and forth, beg with a WS row and work 7 rows of St st. C OFF loosely. Fold placket to inside along middle of placket, covering cut edge, then neatly sew to WS. Work placket on rem side of front opening to match. Neatly sew top ends closed. Neatly sew lower ends of plackets to bottom of opening, with fold edges meeting at center of opening.


ZIPPER: Pin zipper into placket opening, placing top of zipper just below markers at fold line, and with edges of plackets meeting at center of zipper. Neatly sew zipper to body along placket pickup rows. Fold neckband to inside along fold line

PATTERN B



Center of Sleeves

PATTERN A



Center of Back

- = Color 1 = grey hea 0007/black 0090
- ⊗ = Color 2 = mist blue 5813/natural 0020
- ◼ = Color 3 = charcoal hea 0083/cherry red 4018

(approx $\frac{3}{8}$ " / 1 cm of Color 3 should show on RS of neckband). Sew loosely to WS, then neatly sew ends of neckband to back of zipper tape, making sure zipper will slide past edge of neckband. Thread shock cord through stopper, then through casing at bottom of body, beg both ends at left side. Securely sew ends of cord tog. Slip cord under casing, then sew rem opening closed. Pin sleeves into armholes, placing centers of sleeves at shoulder seams, then neatly sew sleeves to body as shown on page 1. On inside, turn facings toward body, covering cut edges, then sew neatly to WS. Pin patch to front as shown in photo, then sew neatly to body.

CREWNECK PULLOVER

Work body and sleeves for Crewneck Pullover same as Pullover with Zipper, omitting placket opening.

FINISHING: Lay body and sleeves out to finished measurements and steam lightly; do not steam ribs. Fold lower edge of body to inside along fold line and sew loosely to inside, leaving an opening at lower right side of body to insert shock cord. Lay sleeves flat and measure width at top of sleeves below facings. Mark this width on each side of body from shoulders down for armholes. Sew 2 machine seams, 2 sts out from where the side markers were placed and across bottom of the 4 sts for armholes. Cut between the pairs of machine stitching, being careful not to cut stitching at bottom of armholes. Sew shoulder seams as shown on page 1.

NECKBAND: With smallest cir needle, Color 1 and with RS facing, pick up 116 (120, 124, 128, 132, 136) sts along neck edge using a crochet hook $\frac{1}{2}$ -metric size smaller than needles to pick up sts k-wise. Join and, working in the rnd, mark beg of rnd. Work $2\frac{1}{5}$ cm of k2, p2 rib. Change to Color 3 and k 1 rnd. Cont rib until neckband measures $4\frac{3}{4}$ " / 12 cm. C OFF loosely in rib. Fold neckband to inside along middle of rib (approx $\frac{3}{8}$ " / 1 cm of Color 3 should show on RS of neckband), then sew loosely to WS. Thread shock cord through stopper, then through casing at bottom of body, beg both ends at left side. Securely sew ends of cord tog. Slip cord under casing, then sew rem opening closed. Pin sleeves into armholes, placing centers of sleeves at shoulder seams, then neatly sew sleeves to body as shown on page 1. On inside, turn facings toward body, covering cut edges, then sew neatly to WS.

PATTERNED CAP

With smallest cir needle and Color 1, C O 120 (132) sts. Join and, working in the rnd, mark beg of rnd and beg rnds at center back. Work $1\frac{1}{8}$ " / 3 cm of St st. Change to Color 3 and k 1 rnd, then p 1 rnd for fold line. Change to largest size cir needle and work Pattern C. Change to middle size cir needle. K 1 rnd and dec 0 (4) sts evenly spaced across rnd – 120 (128) sts. Cont St st without further dec until cap measures $5\frac{1}{2}$ " ($5\frac{7}{8}$ ") / 14 (15) cm from fold line.

SHAPING: Change to middle size dp needles. Next rnd, * k 13 (14) sts, k2tog; rep from * to end of rnd – 112 (120) sts. K 1 rnd without dec. Next rnd, * k 12 (13) sts, k2tog; rep from * to end of rnd – 104 (112) sts. K 1 rnd without dec. Cont dec next rnd, then every other rnd 11 (12) times more, with 1 less st between dec sts each time. Gather rem 8 sts on a piece of yarn and fasten securely. Fold lower edge of cap to inside along fold line and sew loosely to WS.

RIBBED CAP

With smallest cir needle and Color 3, C O 136 (144) sts. Join and, working in the rnd, mark beg of rnd and beg rnds at center back. Work $\frac{3}{8}$ " / 1.5 cm of k2, p2 rib. Change to Color 1 and k 1 rnd. Cont rib until cap measures approx $7\frac{1}{2}$ " ($8\frac{1}{4}$ ") / 19 (21) cm from bottom edge.

SHAPING: Change to smallest dp needles. Next rnd, * k 2 sts, p2tog; rep from * to end of rnd – 102 (108) sts. Work 1 rnd of k2, p1 rib. Next rnd, * k2tog, p 1 st; rep from * to end of rnd – 68 (72) sts. Work 1 rnd of k1, p1 rib. Gather rem sts on a piece of yarn and fasten securely.


HEADBAND

With smallest cir needle and Color 1, C O 126 sts. Join and, working in the rnd, mark beg of rnd and beg rnds at center back. Beg St st and k 11 rnds. P 1 rnd for fold line. Change to largest cir needle. Work Pattern D. Change to smallest cir needle. Cont working with Color 1 and p 1 rnd for fold line. K 11 rnds. C OFF loosely. Fold edges of headband to inside along fold lines and loosely sew tog along C O and C OFF edges.


MITTENS

With smallest dp needles and Color 1, C O 48 (52) sts. Join and, working in the rnd, mark beg of rnd. Work $2\frac{3}{4}$ " ($3\frac{1}{8}$ ") / 7 (8) cm of k2, p2 rib and inc 0 (2) sts on last rnd – 48 (54) sts. Change to largest size dp needles. Work Pattern E. Change to middle size dp needles. Cont St st with Color 1 until hand measures $2\frac{3}{4}$ " ($3\frac{1}{8}$ ") / 7 (8) cm from top of rib. Next rnd, k first 7 (8) sts with a piece of scarp yarn for thumb opening, slip these sts back to left needle, then k to end of rnd. Work until hand measures $5\frac{7}{8}$ " ($6\frac{1}{4}$ ") / 15 (16) cm, or approx $1\frac{1}{8}$ " ($1\frac{3}{8}$ ") / 3 (3.5) cm short of desired length from top of rib.


PATTERN C



PATTERN D



PATTERN E



- = Color 1 = grey hea 0007/black 0090
- ⊗ = Color 2 = mist blue 5813/natural 0020
- = Color 3 = charcoal hea 0083/cherry red 4018

SHAPING: Place side markers at the beg of rnd and after 24 (27) sts. Next rnd, * ssk, k to 2 sts before marker, k2tog; rep from * once more – 44 (50) sts. Cont dec every rnd 9 (11) times more, with 2 fewer sts between dec sts each time. Gather rem 8 (6) sts on a piece of yarn and fasten securely.

THUMB: Remove scarp yarn from thumb opening and slip resulting 14 (16) loops to middle size dp needles and pick up 1 st on each side of opening – 16 (18) sts. Join and, working in the rnd, mark beg of rnd. Beg St st and work until thumb measures $2\frac{3}{8}$ " ($2\frac{3}{4}$ ")/6 (7) cm, or desired length. K2tog across next rnd, then gather rem 8 (9) sts on a piece of yarn and fasten securely. Make second mitten to match, placing thumb opening after 17 (19) sts.

STOCKINGS

With smallest dp needles and Color 1, C O 76 (88) sts. Join and, working in the rnd, mark beg of rnd. Work $4\frac{3}{4}$ " ($5\frac{1}{2}$ ")/12 (14) cm of k2, p2 rib and inc 8 (12) sts evenly spaced across last rnd – 84 (100) sts. Change to largest dp needles. Set up Stocking Pattern on next rnd in this manner: Work center back st, beg at appropriate size as shown on graph and work next 41 (49) sts as shown, work center front st, beg with st on graph to right of center front st, then work from left to right over rem 41 (49) sts. Cont as set through rnd 38, and dec as shown on graph – 78 (90) sts. Change to middle size dp needles and Color 1. Beg k2, p2 rib again and cont shaping as shown on graph – 60 (64) sts.


HEEL: Working back and forth in St st over first 14 (15) and last 13 (14) sts of rnd for heel, slip rem 33 (35) sts to st holders. Work St st until heel flap measures $2\frac{3}{8}$ " ($2\frac{3}{4}$ ")/6 (7) cm, ending with a WS row. Next row, k 18 (19) sts, then turn. Slip first st and tighten it slightly, p next 9 sts, then turn. Slip first st and tighten it slightly, k next 8 sts, k2tog, k 1 st, then turn. Slip first st and tighten it slightly, p next 9 sts, p2tog, p 1 st, then turn. Slip first st and tighten it slightly, k next 10 sts, k2tog, k 1 st, then turn. Cont working in this manner, working 1 more st at end of every row until all heel sts have been worked, ending last row k2tog (p2tog) – 18 (19) sts. Cut yarn for Women's Stocking.


INSTEP: With RS facing, k heel sts, pick up 14 (16) sts along side of heel flap for instep, place marker, work 33 (35) sts from holders in rib as set, place marker, pick up 14 (16) sts along rem side of heel flap, then join and work to center of heel – 79 (86) sts. Working in the rnd again, mark beg of rnd and beg rnds at center under foot. Next rnd, k2tog for Women's Stocking only, k to 2 sts before instep marker, k2tog, work in rib as set to next marker, ssk, then k to end of rnd – 76 (84) sts. Next rnd, k to first instep marker, k2tog, work in rib to next marker, ssk, then k to end of rnd – 74 (82) sts. Rep last rnd 6 more times – 62 (70) sts.

FOOT: Cont without further dec until foot measures $7\frac{1}{2}$ " ($7\frac{7}{8}$ ")/19 (20) cm, or approx $1\frac{3}{4}$ " (2")/4.5 (5) cm short of desired length from heel.

TOE: Place side markers 15 (17) sts from beg of rnd and 16 (18) sts from end of rnd. Beg St st over all sts and work to 2 sts before first side marker, k2tog, k 1 st, ssk, work to 3 sts before next side marker, k2tog, k 1 st, ssk, then k to end of rnd – 58 (66) sts. Cont dec every rnd 13 (15) times more in same manner, with fewer sts between dec sts each time. Gather rem 6 sts on a piece of yarn and fasten securely. Make second stocking to match.

STOCKING PATTERN
Women's & Men's Sizes



**MATERIALS:** Daletta

SIZES:	XS	S	M	L	XL	XXL
Color 1:	400	450	500	550	600	650 gr
Color 2:	50	50	50	100	100	100 gr
Color 3:	100	100	100	100	150	150 gr

COLORWAYS:


Option	Color Number
I	C1 - pastel blue 5703
	C2 - natural 0020
	C3 - grey heather 0007
II	C1 - black 0090
	C2 - natural 0020
	C3 - red 4018

SUGGESTED NEEDLE SIZES: Cir and dp needles in sizes 2.5 mm and 3 mm, crochet hook in size 2 mm and st markers.

Note: US and metric needle sizes often do not match exactly and size equivalencies have changed. The original version of this pattern was written to use metric size needles; if in doubt as to whether a given US needle size is the same as a metric size, use the metric size needle. As always, please take the time to check your gauge carefully and change needle sizes as needed to obtain the correct gauge.

GAUGE: 28 sts and 38 rnds over St st, or 36 rows over color work pattern using larger needles = 4"/10 cm x 4"/10 cm; 38 sts over k2, p2 rib = approx 3½"/9 cm.

ACCESSORIES: Patch.

FINISHED MEASUREMENTS:

- A** = Chest Width: 32¼" (34⅝", 37", 39⅜", 41¾", 43⅝")/
82 (88, 94, 100, 106, 111) cm
- B** = Body Length: 22⅞" (23⅝", 24⅜", 25¼", 26", 26¾")/
58 (60, 62, 64, 66, 68) cm
- C** = Sleeve Length: 18½" (18⅞", 19¼", 19¾", 20⅛", 20½")/
47 (48, 49, 50, 51, 52) cm
- D** = Armhole Depth: 6⅞" (7¼", 7⅝", 8¼", 8⅝", 9")/
17.5 (18.5, 19.5, 21, 22, 23) cm

Watch gauge carefully to obtain the correct finished measurements!

BODY: With smaller cir needle and Color 1, C O 256 (272, 288, 304, 320, 336) sts. Join and, working in the rnd, mark beg of rnd. Work ⅞"/2 cm of k1, p1 rib. Work ⅞"/2 cm of St st, then p 1 rnd for fold line. Change to larger cir needle and place side markers at the beg of rnd and after 128 (136, 144, 152, 160, 168) sts. Set pattern across next rnd in this manner: K 1 st, [p 2 sts, k 2 sts] 4 times, p 2 sts, k the next 90 (98, 106, 114, 122, 130) sts, [p 2 sts, k 2 sts] 9 times, p 2 sts, k the next 90 (98, 106, 114, 122, 130) sts, [p 2 sts, k 2 sts] 4 times, end p 2 sts, k 1 st. Cont as set until body measures 13" (13¾", 14½", 15⅜", 15⅝", 16⅞")/33 (35, 37, 39, 39, 41) cm from fold line.

FRONT NECK OPENING: Next rnd, work first 52 (56, 60, 64, 68, 72) sts, C OFF the next 24 sts for beg of v-neck opening, then work to end of rnd – 232 (248, 264, 280, 296, 312) sts. C O 4 new sts over C OFF sts of previous rnd, then cont working in the rnd (the new sts are cutting sts; work in St st every rnd and exclude from pattern and st counts; if a rnd is worked in only one color, use color in work only and do not strand unused color on that rnd); if desired, body may be worked back and forth from this point (make sure to beg and end rows at front neck edges) but note that color work pattern at shoulders will be worked back and forth.

Cont St st and dec 1 st before and after cutting sts every third rnd 0 (3, 9, 10, 9, 12) times, then every fourth rnd 17 (15, 10, 10, 12, 10) times, working dec before cutting sts as k2tog and after cutting sts as ssk. AT THE SAME TIME, when body measures 15¾" (16⅞", 16½", 17", 17⅜", 17¾")/40 (41, 42, 43, 44, 45) cm from fold line, dec in rib at sides of body as follows: K 1 st, [p2tog, k 2 sts] 4 times, p2tog, k the next 90 (98, 106, 114, 122, 130) sts, [p2tog, k 2 sts] 9 times, p2tog, k the next 90 (98, 106, 114, 122, 130) sts, [p2tog, k 2 sts] 4 times, end p2tog, k 1 st. Next rnd, slip first st, [p 1 st, k2tog] 4 times, p 1 st, k the next 90 (98, 106, 114, 122, 130) sts, [p 1 st, k2tog] 9 times, p 1 st, k the next 90 (98, 106, 114, 122, 130) sts, [p 1 st, p2tog] 4 times, p 1 st, then k tog last st of rnd and first st of rnd. (**Note:** If working back and forth, make sure to end with a WS row before first dec over rib, and work dec on a RS row at both side markers [p2tog, k 2 sts] 9 times, p2tog, then work dec as k2tog on WS for second dec row.) Adjust marker placement if needed to make sure there are 109 (117, 125, 133, 141, 149) sts between markers for back, and same number of sts on both sides of front by dec 1 st at one underarm on next rnd or row; depending on individual knitting gauge, the number of sts on front may not be the same for all knitters at this point. Cont St st and front neck shaping as set until body measures 17⅜" (18⅞", 18⅞", 19¾", 20½", 21¼")/44 (46, 48, 50, 52, 54) cm from fold line. Work first 43 rnds of Pattern B, placing center st of graph at center of back and count back from center back to find starting point of graph at front neck edge. Cont shaping front neck as set.


BACK NECK OPENING: Next rnd, cont pattern and work front sts and first 29 (32, 35, 38, 41, 44) sts of back as set, C OFF the next 51 (53, 55, 57, 59, 61) sts for back neck opening, then work to end of rnd or row. Cut yarn and slip left back shoulder sts from right needle to left needle. Reattach yarn and, working back and forth, beg rows at back neck edges; if already working back and forth, work each side of body separately over front and back of same shoulder. Complete pattern and any rem front neck shaping and, AT THE SAME TIME, C OFF 2 sts at the beg of first 2 rows, then dec 1 st at the beg and end of every other row twice – 50 (56, 62, 68, 74, 80) sts; if working each side of body separately, C OFF every other row at back neck edge 2 sts once, then 1 st twice. When pattern is complete, k 1 row on WS (or p 1 row on RS) with Color 3. C OFF. Complete other side of body to match, placing back neck shaping on opposite side.

SLEEVES: With smaller dp needles and Color 1, C O 64 (64, 64, 68, 68, 68) sts. Join and, working in the rnd, mark beg of rnd.


Work 2¾"/7 cm of k2, p2 rib. Change to larger dp needles. K 1 rnd and inc 1 st – 65 (65, 65, 69, 69, 69) sts. Cont St st and, AT THE SAME TIME, inc 1 st at the beg and end of every eighth rnd 18 (0, 0, 0, 0, 0) times, every seventh rnd 0 (21, 7, 5, 0, 0) times, every sixth rnd 0 (0, 17, 20, 20, 8) times, then every fifth rnd 0 (0, 0, 0, 8, 23) times, leaving 2 sts between inc sts. In the meantime, when sleeve measures 13" (13¾", 13¾", 14¼", 14½", 15")/33 (34, 35, 36, 37, 38) cm from bottom of rib, work Pattern B, placing center st of graph at center of sleeve. Cont inc as set and work inc sts into pattern – 101 (107, 113, 119, 125, 131) sts. When pattern is complete, sleeve should measure approx 18½" (18¾", 19¼", 19¾", 20¼", 20½")/47 (48, 49, 50, 51, 52) cm from bottom of rib. P 6 rnds for facing, then C OFF loosely. Make second sleeve to match.

FINISHING: Lay body and sleeves out to finished measurements and steam lightly; do not steam ribs. Fold lower edge of body to inside along fold line and sew loosely to WS. Lay sleeves flat and measure width at top of sleeves below facings. Mark this width on each side of body from shoulders down for armholes. Sew 2 machine seams, 2 sts out from where side markers were placed and across bottom of the 4 sts for armholes, and along both sides of the cutting sts for front neck opening if necessary. Cut between the pairs of machine stitching, being careful not to cut stitching at bottom of armholes. Sew shoulder seams as shown on page 1.

COLLAR: With smaller cir needle, Color 1 and with RS facing, beg at lower right of front neck opening and pick up 18 sts per 2"/5 cm along right front neck, across back, then down left front neck using a crochet hook ½-metric size smaller than needles to pick up sts k-wise; do not pick up sts along C OFF edge at bottom of front neck opening (total number of sts picked up should be divisible by 4). Working back and forth, beg with a WS row and set up rib in this manner: P 1 st, * k 2 sts, p 2 sts; rep from * to last 3 sts, end k 2 sts, p 1 st. Next row, k 1 st, * p 2 sts, k 2 sts; rep from * to last 3 sts, end p 2 sts, k 1 st. Rep these 2 rows until rib measures approx 3"/7.5 cm, ending with a WS row. Change to Color 3 and k 1 row. Cont rib until collar measures approx 3½"/9 cm, ending with a RS row. K 1 row on WS for fold line. Cont rib until collar measures approx 7¼"/18 cm. C OFF loosely in rib. Fold collar to inside along fold line, covering cut edges, and sew neatly to WS. Lap right collar over left and neatly sew ends of collar to C OFF edge at beg of front neck opening. Pin sleeves into armholes, placing centers of sleeves at shoulder seams, then neatly sew sleeves to body as shown on page 1. On inside, turn facings toward body, covering cut edges, then sew neatly to WS. Pin patch to left sleeve, approx 1½"/4 cm above rib as shown in photo, then sew neatly to sleeve.



- = Color 1 = pastel blue 5703/black 0090
- ⊗ = Color 2 = natural 0020/natural 0020
- = Color 3 = grey hea 0007/red 4018

**MATERIALS:** Falk or Heilo

SIZES: 2 4 6 8 10 12 yrs

PULLOVER:

Color 1:	300	350	400	450	500	550 gr
Color 2:	50	50	50	50	50	50 gr
Color 3:	150	150	150	200	200	200 gr

PATTERNED CAP:

Color 1:	100	100	100	100	100	100 gr
Color 2:	50 gr or remnants for each size					
Color 3:	50 gr or remnants for each size					

RIBBED CAP:

Color 1:	100	100	100	100	100	100 gr
Color 3:	50 gr or remnants for each size					

MITTENS:

Color 1:	100	100	100	100	100	100 gr
Color 2:	50 gr or remnants for each size					
Color 3:	50 gr or remnants for each size					

STOCKINGS:

Color 1:	150	150	200	200	200	200 gr
Color 2:	50 gr or remnants for each size					
Color 3:	50 gr or remnants for each size					

TIGHTS:

SIZES: 2 4 6 8 yrs

Color 1 or 3:	250	300	350	400 gr
---------------	-----	-----	-----	--------

COLORWAYS:**Option Color Number**


- I** C1 - mist blue 5813
C2 - natural 0020
C3 - grey heather 0007

- II** C1 - black 0090
C2 - natural 0020
C3 - cherry red 4018

SUGGESTED NEEDLE SIZES: Cir and dp needles in sizes 2.5 mm, 3 mm and 3.5 mm, crochet hook in size 2 mm, st markers and st holders. **Note:** US and metric needle sizes often do not match exactly and size equivalencies have changed. The original version of this pattern was written to use metric size needles; if in doubt as to whether a given US needle size is the same as a metric size, use the metric size needle. As always, please take the time to check your gauge carefully and change needle sizes as needed to obtain the correct gauge.

GAUGE: 24 sts and 30 rnds over St st using middle size needles, or 28 rnds over color work pattern using largest needles = 4"/10 cm x 4"/10 cm; 30 sts over k2, p2 rib = approx 3 1/8"/8cm.

ACCESSORIES: Pullover, patch; and Tights, 7/8"/2 cm wide elastic.


FINISHED MEASUREMENTS:**Pullover:**

A = Chest Width: 24 3/8" (27 5/8", 30 3/4", 33 7/8", 37", 39")/
62 (70, 78, 86, 94, 99) cm

B = Body Length: 15 3/4" (17 3/8", 18 7/8", 20 1/2", 22", 23 5/8")/
40 (44, 48, 52, 56, 60) cm

C = Sleeve Length: 10 5/8" (12 1/4", 13 3/8", 15", 16 1/8", 17 3/4")/
27 (31, 34, 38, 41, 45) cm

D = Armhole Depth: 5 5/8" (6 1/8", 6 1/2", 7 1/4", 7 5/8", 8 1/4")/
14.5 (15.5, 16.5, 18.5, 19.5, 21) cm

Tights:

A = Hip Width, relaxed: 14 1/8" (14 1/2", 15 3/8", 16 1/2")/
36 (37, 39, 42) cm

B = Pant Length: 22 1/2" (23 3/4", 26", 28 1/2")/
57 (60.5, 66, 72.5) cm

C = Leg Length: 11 3/4" (13 3/4", 15 3/4", 17 3/4")/
30 (35, 40, 45) cm

Watch gauge carefully to obtain the correct finished measurements!

PULLOVER

BODY: With smallest cir needle and Color 1, C O 152 (168, 192, 208, 224, 240) sts. Join and, working in the rnd, mark beg of rnd. Set rib in this manner: K 1 st, * p 2 sts, k 2 sts; rep from * to last 3 sts, end p 2 sts, k 1 st. Cont as set until rib measures 2 3/8" (2 3/8", 2 3/8", 2 3/4", 2 3/4", 2 3/4")/6 (6, 6, 7, 7, 7) cm. Change to middle size cir needle. Next rnd, work first 15 sts in rib as set, k next 46 (54, 66, 74, 82, 90) sts and inc 9 (11, 8, 10, 12, 10) sts evenly spaced over these sts, work next 30 sts in rib as set making sure to beg with p2 sts, k the next 46 (54, 66, 74, 82, 90) sts and inc 9 (11, 8, 10, 12, 10) sts evenly spaced across these sts, then work rem 15 sts in rib - 170 (190, 208, 228, 248, 260) sts. Place side markers at the beg of rnd and after 85 (95, 104, 114, 124, 130) sts. Work as set without further inc until body measures 9 7/8" (11", 12 1/4", 13", 14 1/8", 15 3/8")/25 (28, 31, 33, 36, 39) cm from bottom of rib. Next rnd, k 1 st [p2tog, k 2 sts] 3 times, p2tog, k the next 55 (65, 74, 84, 94, 100) sts, [p2tog, k 2 sts] 7 times, p2tog, k to last 15 sts, [p2tog, k 2 sts] 3 times,

end p2tog, k 1 st – 154 (174, 192, 212, 232, 244) sts. Next rnd, slip first st, [p 1 st, k2tog] 3 times, p 1 st, k the next 55 (65, 74, 84, 94, 100) sts, [p 1 st, k2tog] 7 times, p 1 st, k the next 55 (65, 74, 84, 94, 100) sts, [p 1 st, k2tog] 3 times, p 1 st, k tog the last st of rnd with first st of rnd – 140 (160, 178, 198, 218, 230) sts. Check to make sure there are 70 (80, 89, 99, 109, 115) sts between markers for back. Work without further shaping until body measures 13" (14½", 16⅛", 17¾", 19¼", 20⅞")/33 (37, 41, 45, 49, 53) cm from bottom of rib. Change to largest size cir needle. Work Pattern A, placing center of graph at center of front and back; count back from graph center st for starting point of graph for each size, then work 12-st rep to side marker, beg again as before and work to end of rnd. AT THE SAME TIME, when body measures 13¾" (15⅜", 16½", 18⅛", 19¼", 20⅞")/35 (39, 42, 46, 49, 53) cm from bottom of rib, shape front neck.


FRONT NECK OPENING: Next rnd, work first 30 (35, 38, 43, 47, 50) sts as set, C OFF the next 10 (10, 13, 13, 15, 15) sts for front neck opening, then work to end of rnd – 130 (150, 165, 185, 203, 215) sts. Cut yarns and slip left front shoulder sts from left needle to right needle. Reattach yarns and, working back and forth, beg rows at front neck edges. Cont pattern and C OFF 4 sts at the beg of first 2 rows, 3 sts at the beg of next 0 (0, 0, 2, 2, 2) rows, 2 sts at the beg of next 4 (4, 4, 2, 4, 4) rows, then dec 1 st at the beg and end of every other row 2 (2, 3, 3, 2, 3) times. AT THE SAME TIME, when body measures 15" (16½", 18⅛", 19¾", 21¼", 22⅞")/38 (42, 46, 50, 54, 58) cm from bottom of rib, shape back neck opening.

BACK NECK OPENING: Next row, cont rem front neck shaping, and work front sts and first 23 (28, 30, 34, 37, 39) sts of back, C OFF the next 24 (24, 29, 31, 35, 37) sts for back neck opening, then work to end of row. Working each side of body separately over both front and back of each shoulder, cont pattern and C OFF every other row at back neck edge, 2 sts once, then 1 st once – 40 (50, 54, 62, 68, 72) sts. When pattern is complete, p 1 row on RS (or k 1 row on WS) with Color 3. C OFF. Complete other side of body to match, placing back neck shaping on opposite side.

SLEEVES: With smallest size dp needles and Color 1, C O 40 (44, 44, 48, 48, 52) sts. Join and, working in the rnd, mark beg of rnd. Work 2⅜" (2⅜", 2⅜", 2¾", 2¾", 2¾")/6 (6, 6, 7, 7, 7) cm of k2, p2 rib. Change to middle size dp needles. K 1 rnd and inc 13 (11, 13, 11, 13, 11) sts evenly spaced across rnd – 53 (55, 57, 59, 61, 63) sts. Cont St st and, AT THE SAME TIME, inc 1 st at the beg and end of every sixth rnd 5 (11, 13, 0, 0, 7) times, then every fifth rnd 5 (0, 0, 17, 18, 13) times, leaving 2 sts between inc sts. In the meantime, when sleeve measures 5½" (7⅛", 8¼", 7⅞", 9", 10⅝")/14 (18, 21, 20, 23, 27) cm from bottom of rib, beg Pattern B1 for sizes 2 (4, 6) yrs, and Pattern B for sizes 8 (10, 12) yrs, placing center st of graph at center of sleeve and working inc sts into pattern – 73 (77, 83, 93, 97, 103) sts. When pattern is complete, sleeve should measure approx 10⅝" (12¼", 13⅜", 15", 16⅛", 17¾")/27 (31, 34, 38, 41, 45) cm from bottom of rib. P 5 rnds with Color 3 for facing, then C OFF loosely. Make second sleeve to match.

FINISHING: Lay body and sleeves out to finished measurements and steam lightly; do not steam ribs. Lay sleeves flat and measure width at top of sleeves below facings. Mark this width on each side of body from shoulders down for armholes. Sew 2 machine seams, 2 sts out from where the side markers were placed and across bottom of the 4 sts for armholes. Cut between the pairs of machine stitching, being careful not to cut stitching at bottom of armholes. Sew shoulder seams as shown on page 1.

NECKBAND: With smallest cir needle, Color 1 and with RS facing, pick up 104 (108, 108, 112, 112, 116) sts along neck edge using a crochet hook ½-metric size smaller than needles to pick up sts k-wise. Join and, working in the rnd, mark beg of rnd. Work 1⅛" (1⅛", 1⅛", 1⅝", 1⅝", 1⅝")/3 (3, 3, 4, 4, 4) cm of k2, p2 rib. Change to Color 3 and k 1 rnd. Cont rib until neckband measures 3⅛" (3⅛", 3⅛", 4", 4", 4")/8 (8, 8, 10, 10, 10) cm. C OFF loosely in rib. Fold neckband to inside along middle of rib (approx ⅜"/1 cm of Color 3 should show on RS of neckband). Sew loosely to WS. Pin sleeves into armholes, placing centers of



sleeves at shoulder seams, then neatly sew sleeves to body as shown on page 1. On inside, turn facings toward body, covering cut edges, then sew neatly to WS. Pin patch to front as shown in photo, then neatly sew to body.

HOOD: With smallest cir needle and Color 3, C O 134 (138, 142, 146, 150, 154) sts. Working back and forth, work 1" (1", 1½", 1½", 1½", 1½")/2.5 (2.5, 3, 3, 3, 3) cm of k2, p2 rib. Change to middle size cir needle. Beg St st and, AT THE SAME TIME, dec 1 st, 1 st in from edges, at the beg and end of every row 11 (12, 13, 14, 15, 16) times – 112 (114, 116, 118, 120, 122) sts. Work without further shaping until hood measures 3½" (4", 4¾", 4¾", 5½")/9 (10, 11, 12, 13, 14) cm from bottom of rib, ending with a WS row.

SHAPING: Place a st marker after 56 (56, 58, 59, 60, 61) sts. Dec 1 st on each side of marker every RS row – 11 (12, 13, 14, 15, 16) times, leaving 2 sts between dec – 90 sts rem for all sizes. Work without further shaping until hood measures 7½" (7½", 8¼", 9", 9¾", 10¼")/19 (20, 21, 23, 25, 26) cm from bottom of rib along center. C OFF. Fold hood along center and sew back of hood tog along C OFF edges. Pin hood into neck opening, under neckband, with front edges approx 7/8"/2 cm apart at center front of neck opening, and easing edge to fit if needed. Loosely sew hood to body along neck line.


TIGHTS

With smallest cir needle, C O 124 (128, 136, 148) sts. Join and, working in the rnd, mark beg of rnd and beg rnds at center back. Work 1½"/4 cm of k2, p2 rib. Change to middle size cir needle.

BACK SHAPING: Working back and forth, cont rib and shape back of tights in this manner: Work 10 sts, then turn. Slip first st and tighten it slightly, work 19 sts, then turn. Slip first st and tighten it slightly, work 29 sts, then turn. Slip first st and tighten it slightly, work 39 sts, then turn. Cont working in this manner, working an extra 10 sts at end of every row 6 times more for each side, ending with a WS row. With RS facing, cut yarn and slip half of shaped sts from left needle to right needle. Reattach yarn and, working in the rnd again, beg rnds at center back. Place center markers at beg of rnd and after 62 (64, 68, 74) sts.

HIPS: Cont rib and, AT THE SAME TIME, inc 1 st at the beg and end of rnd every 7/8"/2 cm 6 times, working inc sts into rib – 136 (140, 148, 160) sts. Work without further inc until tights measure 8¼" (7½", 7½", 8¼")/21 (19, 20, 21) cm from bottom edge along center front (**Note:** Size 2 yrs is longer than next 2 sizes to accommodate a diaper). Inc 1 st on each side of both markers every fifth rnd 5 times, leaving 2 sts between inc sts and working inc sts into rib – 156 (160, 168, 180) sts. Divide tights at markers and work each leg separately.

PATTERN C



- = Color 1 = mist blue 5813/black 0090
- ⊗ = Color 2 = natural 0020/natural 0020
- = Color 3 = grey hea 0007/cherry red 4018

LEG: Slip first 78 (80, 84, 90) sts to middle size dp needles and rem sts to st holders. Join and, working in the rnd, mark beg of rnd and beg rnds at inseam. Cont rib and, AT THE SAME TIME, dec 1 st at the beg and end of every seventh (eighth, ninth, tenth) rnd 13 (12, 12, 13) times, leaving 2 sts between dec sts – 52 (56, 60, 64) sts. Work without further dec until leg measures 11¾" (13¾", 15¾", 17¾")/30 (35, 40, 45) cm. C OFF loosely in rib. Make second leg to match.

FINISHING: Fold 7/8"/2 cm along top edge of tights to inside to form waistband. Loosely sew to WS, leaving an opening at center back to insert elastic. Cut elastic to comfortable waist measurement, plus 1"/2.5 cm. Thread elastic through waistband, then lap ends and adjust to fit. Securely sew ends of elastic tog. Slip elastic under waistband, then sew rem opening closed.

PATTERNED CAP

Sizes: 2/4/6 8/10/12 yrs

With smallest cir needle and Color 1, C O 108 (120) sts. Join and, working in the rnd, mark beg of rnd and beg rnds at center back. Work 1½"/3 cm of St st. Change to Color 3 and k 1 rnd, then p 1 rnd for fold line. Change to largest size cir needle. Work Pattern C. Change to middle size cir needle and Color 1. Cont St st and work until cap measures approx 5½" (5½"/13 (15) cm from fold line.

SHAPING: Change to middle size dp needles. Next rnd, * k 1 st, ssk, k the next 22 (25) sts, k2tog; rep from * 3 times more – 100 (112) sts. K 1 rnd without dec. Next rnd, * k 1 st, ssk, k the next 20 (23) sts, k2tog; rep from * 3 more times – 92 (104) sts. K 1 rnd without dec. Cont dec next rnd, then every other rnd 9 (10) times more, with 2 fewer sts between dec sts each time. Gather rem 12 (16) sts on a piece of yarn and fasten securely.

FINISHING: Fold lower edge of cap to inside along fold line and sew loosely to WS. Make 3 short twisted cords and small pom-poms, one with each color. Securely attach a pom-pom to an end of matching cord, then attach free end of each cord to top of cap as shown in photo.

RIBBED CAP

Sizes: 2/4 6/8 10/12 yrs

With smallest cir needle and Color 3, C O 112 (120, 128) sts. Join and, working in the rnd, mark beg of rnd and beg rnds at center back. Work approx 5/8"/1.5 cm of k2, p2 rib. Change to Color 1 and k 1 rnd. Cont rib until cap measures approx 6¾" (7½", 7½")/17 (18, 19) cm from bottom of rib.

SHAPING: Change to smallest dp needles. Next rnd, * k 2 sts, p2tog; rep from * to end of rnd – 84 (90, 96) sts. Work 1 rnd of k2, p1 rib. Next rnd, * k2tog, p1; rep from * to end of rnd – 56 (60, 64) sts. Work 1 rnd of k1, p1 rib. Gather sts on a piece of yarn and fasten securely.


MITTENS

Sizes: 2/4 6/8 10/12 yrs


With smallest dp needles and Color 1, C O 36 (40, 44) sts. Join and, working in the rnd, mark beg of rnd. Work 2" (2¾", 2¾")/5 (6, 7) cm of k2, p2 rib and inc 0 (2, 4) sts evenly spaced across last rnd – 36 (42, 48) sts. Change to largest dp needles and work Pattern E. Change to middle size dp needles. Cont St st with Color 1 and work until hand measures 1½" (1½", 2")/3 (4, 5) cm from top of rib. Next rnd, k first 6 (6, 7) sts with a piece of scrap yarn for thumb opening, slip these sts back to left needle, then k to end of rnd. Cont St st until hand measures 3½" (4¾", 5½")/9 (11, 13) cm, or approx 7/8" (1½", 1½")/2 (3, 3) cm short of desired length from top of rib.

SHAPING: Place side markers at the beg of rnd and after 18 (21, 24) sts. Next rnd, * k2tog, k to 2 sts before next marker, ssk; rep from * to end of rnd – 32 (38, 44) sts. Cont dec every rnd 6 (8, 9) times more in this manner, with 2 fewer sts between markers each time. Gather rem 8 (6, 8) sts on a piece of yarn and fasten securely.

CHILD'S STOCKING



PATTERN E



- = Color 1 = mist blue 5813/black 0090
- ⊗ = Color 2 = natural 0020/natural 0020
- = Color 3 = grey hea 0007/cherry red 4018

THUMB: Remove scrap yarn from thumb opening and slip resulting 12 (12, 14) loops to middle size dp needles and pick up 1 st on each side of opening – 14 (14, 16) sts. Join and, working in the rnd, mark beg of rnd. Beg St st and work until thumb measures 1 $\frac{1}{8}$ " (1 $\frac{5}{8}$ ", 2")/3 (4, 5) cm, or desired length. K2tog across next rnd, then gather rem 7 (7, 8) sts on a piece of yarn and fasten securely. Make second mitten to match, placing thumb opening after 12 (15, 17) sts.

STOCKINGS

Sizes: 2/4 6/8 10/12 yrs



With smallest dp needles and Color 1, C O 56 (64, 74) sts. Join and, working in the rnd, mark beg of rnd and beg rnds at center back. Work 2 $\frac{3}{8}$ " (3 $\frac{1}{8}$ ", 3 $\frac{1}{2}$ ")/6 (8, 9) cm of k1, p1 rib and inc 8 (8, 6) sts evenly spaced across last rnd – 64 (72, 80) sts. Change to largest dp needles. Set up Stocking Pattern in this manner: Work center back st, beg at appropriate size as shown on graph and work next 31 (35, 39) sts as shown, work center front st, beg with st on graph to right of center front st, then work from left to right over rem 31 (35, 39) sts. Cont through rnd 20 and dec as shown on graph – 60 (70, 78) sts. Change to middle size dp needles and Color 1. Beg k2, p2 rib and cont shaping as shown on graph – 44 (50, 56) sts.

HEEL: Working back and forth over first 11 (12, 13) and last 10 (11, 12) sts for heel, slip rem 23 (27, 31) sts to st holders. Work St st until heel flap measures 1 $\frac{3}{8}$ " (1 $\frac{5}{8}$ ", 1 $\frac{3}{4}$ ")/3.5 (4, 4.5) cm, ending with a WS row. Next row, k 13 (15, 17) sts, then turn. Slip first st and tighten it slightly, p next 6 (7, 8) sts, then turn. Slip first st and tighten it slightly, k next 5 (6, 7) sts, k2tog, k 1 st, then turn. Slip first st and tighten it slightly, p next 6 (7, 8) sts, p2tog, p 1 st, then turn. Slip first st and tighten it slightly, k next 7 (8, 9) sts, k2tog, k 1 st, then turn. Cont working in this manner, working 1 more st at end of every row until all heel sts have been worked – 14 (15, 17) sts. Cut yarn for size 2/4 yrs.

INSTEP: With RS facing, k heel sts, pick up 9 (10, 11) sts along side of heel flap for instep, place marker, work 23 (27, 31) sts from holders in rib as set, place marker, pick up 9 (10, 11) sts along rem side of heel flap, then join and work to center of heel – 55 (62, 70) sts. Working in the rnd again, mark beg of rnd and beg rnds at center under foot. Next rnd, k2tog for size 2/4 yrs only, k to 2 sts before instep marker, k2tog, work rib as set to next marker, ssk, then k to end of rnd – 52 (60, 68) sts. Next rnd, k to 2 sts before first instep marker, k2tog, work in rib to next marker, ssk, then k to end of rnd – 50 (58, 66) sts. Work 1 rnd without dec. Rep last 2 rnds 4 (6, 6) more times – 42 (46, 54) sts, ending with a dec rnd.

FOOT: Cont without further dec until foot measures 6 $\frac{1}{4}$ " (6 $\frac{3}{4}$ ", 7 $\frac{1}{2}$ ")/16 (17, 19) cm, or approx 1 $\frac{1}{8}$ " (1 $\frac{1}{8}$ ", 1 $\frac{3}{8}$ ")/3 (3, 3.5) cm short of desired length from heel.

TOE: Place side markers 11 (12, 14) sts from beg of rnd and 10 (11, 13) sts before end of rnd. Beg St st over all sts and work to 2 sts before first side marker, k2tog, k1 st, ssk, work to 3 sts before next side marker, k2tog, k 1 st, ssk, then work to end of rnd – 38 (42, 50) sts. Cont dec every rnd 8 (9, 11) more times, with fewer sts between dec sts each time. Gather rem 6 sts on a piece of yarn and fasten securely. Make second stocking to match.



MATERIALS: Dale Baby Ull & Falk

SIZES: 3 6 9 12 18 24 mo

PULLOVER:

Dale Baby Ull

Color 1:	100	150	150	150	200	200 gr
Color 2:	50	50	50	50	50	50 gr
Color 3:	50	50	50	50	50	50 gr

PANTS:

Dale Baby Ull

Color 1:	100	100	150	150	200	200 gr
Color 2:	50 gr or remnants for all sizes					
Color 3:	50 gr or remnants for all sizes					

CAP:

Dale Baby Ull

Color 1:	50	100	100	100	100	100 gr
Color 3:	50 gr or remnants for all sizes					

SOCKS:

Dale Baby Ull

Color 3:	50	50	50	50	50	50 gr
----------	----	----	----	----	----	-------

MITTENS:

Dale Baby Ull

Color 3:	50	50	50	50	50	50 gr
----------	----	----	----	----	----	-------

COLORWAYS: Dale Baby Ull

Option	Color Number
I	C1 - black 0090 C2 - off white 0020 C3 - red 4018
II	C1 - off white 0020 C2 - black 0090 C3 - red 4018
III	C1 - red 4018 C2 - off white 0020 C3 - black 0090
IV	C1 - ice blue 5701 C2 - off white 0020 C3 - grey heather 0007

CAR SACK:

SIZES: 0/3 6/9 12/18 mo

Falk

Color 1:	300	350	400 gr
Color 2:	50	50	50 gr
Color 3:	50	50	100 gr

COLORWAYS: Falk

Option	Color Number
I	C1 - black 0090 C2 - natural 0020 C3 - cherry red 4018
II	C1 - natural 0020 C2 - black 0090 C3 - cherry red 4018
III	C1 - cherry red 4018 C2 - natural 0020 C3 - black 0090
IV	C1 - mist blue 5813 C2 - natural 0020 C3 - grey heather 0007

SUGGESTED NEEDLE SIZES: *Dale Baby Ull* – Cir and dp needles in sizes 2 mm and 2.5 mm, crochet hook in size 1.5 mm, st markers and holders; *Falk* – Cir and dp needles in sizes 2.5 mm, 3 mm and 3.5 mm, crochet hook in size 2 mm and st markers.


Note: US and metric needle sizes often do not match exactly and size equivalencies have changed. The original version of this pattern was written to use metric size needles; if in doubt as to whether a given US needle size is the same as a metric size, use the metric size needle. As always, please take the time to check your gauge carefully and change needle sizes as needed to obtain the correct gauge.

GAUGE: *Dale Baby Ull* – 32 sts and 40 rnds over St st, or 38 rnds over color work pattern using larger needles = 4"/10 cm x 4"/10 cm; 30 sts over k2, p2 rib = approx 2³/₈"/6 cm. *Falk* – 24 sts and 30 rnds over St st using middle size needles, and 28 rnds over color work pattern using largest needles = 4"/10 cm x 4"/10 cm.

ACCESSORIES: Pants, 1"/2.5 cm wide elastic; and Car Sack, 5 (6, 7) buttons and 4 snap fasteners.

FINISHED MEASUREMENTS:

Pullover:




A = Chest Width: 18¹/₂" (19³/₄", 20⁷/₈", 22", 23¹/₄", 24³/₈")/
47 (50, 53, 56, 59, 62) cm

B = Body Length: 10¹/₄" (11³/₈", 12⁵/₈", 13³/₄", 15", 15³/₄")/
26 (29, 32, 35, 38, 40) cm

C = Sleeve Length: 5⁷/₈" (6³/₄", 7¹/₂", 8¹/₄", 9", 9⁷/₈")/
15 (17, 19, 21, 23, 25) cm


D = Armhole Depth: 3¹/₂" (3³/₄", 4¹/₈", 4³/₈", 4³/₄", 4⁷/₈")/
9 (9.5, 10.5, 11, 12, 12.5) cm

Pants:



- A = Hip Width:** 18⁷/₈" (19³/₄", 21¹/₄", 22¹/₂", 23¹/₄", 24³/₈")/
48 (50, 54, 57, 59, 62) cm
- B = Pant Length:** 13" (14¹/₈", 15", 16¹/₂", 18¹/₂", 20¹/₈")/
33 (36, 38, 42, 47, 51) cm
- C = Leg Length:** 6³/₄" (7¹/₂", 8¹/₄", 9", 10¹/₄", 11³/₈")/
17 (19, 21, 23, 26, 29) cm

Car Sack:



- A = Chest Width:** 25⁵/₈" (29¹/₂", 33¹/₂")/
65 (75, 85) cm
- B = Body Length:** 21⁵/₈" (25⁵/₈", 29¹/₂")/
55 (65, 75) cm
- C = Sleeve Length:** 5⁷/₈" (6³/₄", 7¹/₂")/
15 (17, 19) cm
- D = Armhole Depth:** 4" (4³/₈", 4³/₄")/
10 (11, 12) cm

Watch gauge carefully to obtain the correct finished measurements!



PULLOVER

BODY: With smaller cir needle and Color 1, C O 152 (160, 168, 176, 184, 192) sts. Join and, working in the rnd, mark beg of rnd. Set rib in this manner: K 1 st, * p 2 sts, k 2 sts; rep from * to last st, end k 1 st. Cont as set until rib measures 2"/5 cm. Change to larger cir needle. Next rnd, work first 15 sts in rib as set, k next 46 (50, 54, 58, 62, 66) sts and inc 10 (10, 10, 12, 12, 14) sts evenly spaced across these sts, work next 30 sts in rib as set making sure to beg with p 2 sts, k next 46 (50, 54, 58, 62, 66) sts and inc 10 (10, 10, 12, 12, 14) sts evenly spaced across these sts, then work rem 15 sts in rib – 172 (180, 188, 200, 208, 220) sts. Place side markers at the beg of rnd and after 86 (90, 94, 100, 104, 110) sts. Work without further shaping until body measures 5⁷/₈" (6³/₄", 7¹/₂", 8³/₈", 9¹/₂", 10¹/₄")/15 (17, 19, 22, 24, 26) cm from bottom of rib. Next rnd, k 1 st, [p2tog, k 2 sts] 3 times, p2tog, k the next 56 (60, 64, 70, 74, 80) sts, [p2tog, k 2 sts] 7 times, p2tog, k the next 56 (60, 64, 70, 74, 80) sts, [p2tog, k 2 sts] 3 times, p2tog, k 1 st – 156 (164, 172, 184, 192, 204) sts. Next rnd, slip first st, [p 1 st, k2tog] 3 times, p 1 st, k the next 56 (60, 64, 70, 74, 80) sts, [p 1 st, k2tog] 7 times, p 1 st, k the next 56 (60, 64, 70, 74, 80) sts, [p 1 st, k2tog] 3 times, p 1 st, k tog the last st of rnd with the first st of rnd – 142 (150, 158, 170, 178, 190) sts. Check to make sure there are 71 (75, 79, 85, 89, 95) sts between markers for front and back. Work St st without further shaping until body measures 7⁷/₈" (9", 10¹/₄", 11³/₈", 12⁵/₈", 13³/₈")/20 (23, 26, 29, 32, 34) cm from bottom of rib. Work Pattern A, placing center st of graph at center of front and back; count back from graph center st for starting point of

graph for each size, then work 12-st rep to side marker, beg again as before and work to end of rnd. AT THE SAME TIME, when body measures 8¹/₄" (9¹/₂", 10⁵/₈", 11³/₄", 12⁵/₈", 13³/₈")/21 (24, 27, 30, 32, 34) cm from bottom of rib, shape front neck.

FRONT NECK OPENING: Next rnd, work first 30 (31, 33, 35, 37, 40) sts as set, C OFF the next 11 (13, 13, 15, 15, 15) sts for front neck opening, then work to end of rnd – 131 (137, 145, 155, 163, 175) sts. Cut yarns and slip left front shoulder sts from left needle to right needle. Reattach yarns and, working back and forth, beg rows at front neck edges. Cont pattern and C OFF 3 sts at the beg of first 2 rows, 2 sts at the beg of next 4 rows, then dec 1 st at the beg and end of every other row 3 times. AT THE SAME TIME, when body measures 9¹/₂" (10⁵/₈", 11³/₄", 13", 14¹/₈", 15")/24 (27, 30, 33, 36, 38) cm from bottom of rib, shape back neck opening.

BACK NECK OPENING: Next rnd, cont rem front neck shaping, work front sts and first 25 (26, 28, 30, 32, 35) sts of back, C OFF the next 21 (23, 23, 25, 25, 25) sts for back neck opening, then work to end of row. Working each side of body separately over both front and back of each shoulder, cont pattern and C OFF every other row at back neck edge, 2 sts twice, then 1 st once – 40 (42, 46, 50, 54, 60) sts. When pattern is complete, p 1 row on RS (or k 1 row on WS) with Color 3. C OFF. Complete other side of body to match, placing back neck shaping on opposite side.



- = Color 1 = black 0090/off white 0020/red 4018/ice blue 5701
- ⊗ = Color 2 = off white 0020/black 0090/red 4018/off white 0020
- = Color 3 = red 4018/red 4018/black 0090/grey hea 0007

SLEEVES: With smallest dp needles and Color 1, C O 44 (44, 48, 48, 52, 52) sts. Join and, working in the rnd, mark beg of rnd. Work 1¹/₈" (1⁵/₈", 1⁵/₈", 2", 2", 2")/3 (4, 4, 5, 5, 5) cm of k2, p2 rib. Change to larger dp needles. K 1 rnd and inc 1 st – 45 (45, 49, 49, 53, 53) sts. Cont St st and, AT THE SAME TIME, inc 1 st at the beg and end of every fifth rnd 7 (3, 11, 6, 13, 15) times, then every fourth rnd 2 (8, 0, 7, 0, 0) times, leaving 2 sts between inc sts. In the meantime, when sleeve measures 4" (4³/₄", 5¹/₂", 2³/₈", 3¹/₈", 4")/10 (12, 14, 6, 8, 10) cm from bottom of rib, beg Pattern A for sizes 3 (6, 9) mo, and Pattern B1 for sizes 12 (18, 24) mo, placing center of graph at center of sleeve and working inc sts into pattern – 63 (67, 71, 75, 79, 83) sts. When pattern is complete, sleeve should measure approx 5⁷/₈" (6³/₄", 7¹/₂", 8¹/₄", 9", 9⁷/₈")/15 (17, 19, 21, 23, 25) cm from bottom of rib. P 6 rnds with Color 3 for facing, then C OFF loosely. Make second sleeve to match.

FINISHING: Lay body and sleeves out to finished measurements and steam lightly; do not steam ribs. Lay sleeves flat and measure width at top of sleeves below facings. Mark this width on each side of body from shoulders down for armholes. Sew 2 machine seams, 2 sts out from where the side markers were placed and across bottom of the 4 sts for armholes. Cut between the pairs of machine stitching, being careful not to cut stitching at bottom of armholes. Sew shoulder seams as shown on page 1.

NECKBAND: With smaller cir needle, Color 1 and with RS facing, pick up 88 (92, 96, 100, 104, 108) sts along neck edge using a crochet hook 1/2-metric size smaller than needles to pick up sts k-wise. Join and, working in the rnd, mark beg of rnd. Work 1" (1", 1", 1¹/₈", 1¹/₈", 1¹/₈")/2.5 (2.5, 2.5, 3, 3, 3) cm of k2, p2 rib. Change to Color 3 and k 1 rnd. Cont rib until neckband measures 2³/₄" (2³/₄", 2³/₄", 3¹/₈", 3¹/₈", 3¹/₈")/7 (7, 7, 8, 8, 8) cm. C OFF loosely in rib. Fold neckband to inside along middle of rib (approx 3³/₈"/1 cm of Color 3 should show on RS of neckband). Sew loosely to WS. Pin sleeves into armholes, placing centers of sleeves at shoulder seams, then neatly sew sleeves to body as shown on page 1. On inside, turn facings toward body, covering cut edges, then sew neatly to WS.

PANTS

WAISTBAND: With smaller cir needle and Color 1, C O 144 (152, 160, 168, 176, 184) sts. Join and, working in the rnd, mark beg of rnd and beg rnds at center back. Work 2³/₈"/6 cm of k2, p2 rib. K 1 rnd and inc 8 (8, 12, 12, 12, 12) sts evenly spaced across rnd – 152 (160, 172, 180, 188, 196) sts. Change to larger cir needle.

BACK SHAPING: Working back and forth, cont St st and k 9 sts, then turn. Slip first st and tighten it slightly, p 16 sts, then turn. Slip first st and tighten it slightly, k 24 sts, then turn. Slip first st and tighten it slightly, p 32 sts, then turn. Cont working in this manner, working another 8 sts at end of every row 2 (2, 3, 3, 3, 3) more times for each side, ending with a WS rows. With RS facing, cut yarn and slip half of shaped sts from left needle to right needle. Reattach yarn and, working in the rnd again, beg rnds at center back. Place center markers at the beg of rnd and after 76 (80, 86, 90, 94, 98) sts.

HIPS: Cont St st without further shaping until pants measure 6¹/₄" (6³/₄", 7¹/₈", 7¹/₂", 7⁷/₈", 8¹/₄")/16 (17, 18, 19, 20, 21) cm from bottom of rib along center front. Inc 1 st on each side of both center markers every other rnd 5 (5, 5, 6, 7, 8) times, leaving 2 sts between inc sts – 172 (180, 192, 204, 216, 228) sts. Divide pants at markers and work each leg separately.

LEGS: Slip first 86 (90, 96, 102, 108, 114) sts to larger dp needles and rem sts to st holders. Join and, working in the rnd, mark beg of rnd and beg rnds at inseam. Cont St st and, AT THE SAME TIME, dec 1 st at the beg and end of every third rnd 9 (0, 0, 0, 0, 0) times, every fourth rnd 4 (13, 10, 10, 4, 0) times, every fifth rnd 0 (0, 4, 5, 12, 11) times, then every sixth rnd 0 (0, 0, 0, 0, 6) times, leaving 2 sts between dec sts. In the meantime, when leg measures approx 2³/₄" (3¹/₂", 4³/₈", 5¹/₈", 6¹/₄", 7¹/₂")/7 (9, 11, 13, 16, 19) cm, work Pattern A in reverse order (from rnd 20 to rnd 1) – 60 (64, 68, 72, 76, 80) sts. When pattern is

complete, change to smaller dp needles and Color 1. K 1 rnd. Work 2²/₅" cm of k2, p2 rib. Bind off loosely in rib. (**Option:** If desired, work 4²/₁₀" cm of k2, p2 rib; cuff will folded to inside.) Complete second leg to match.

FINISHING: Lay pants out to finished measurements and steam lightly; do not steam ribs. Fold waistband to inside along middle of rib and sew loosely to WS, leaving an opening at center back to insert elastic. Cut elastic to comfortable waist measurement, plus 1¹/₂" 2.5 cm. Thread elastic through waistband, then lap ends and adjust to fit. Securely sew ends of elastic tog. Slip elastic under waistband, then sew rem opening closed. If making longer cuffs, fold each cuff to inside along middle of rib and sew loosely to WS.

HELMET CAP

Sizes: 3 6/9 12/18 24 mo

With smaller dp or cir needle and Color 1, C O 80 (88, 96, 104) sts. Join and, working in the rnd, mark beg of rnd and work 2³/₈" (2³/₄", 2³/₄", 3¹/₈")/6 (7, 7, 8) cm of k2, p2 rib. K 1 rnd and inc 36 sts evenly spaced across rnd – 116 (124, 132, 140) sts. Change to larger cir needle. K 2 rnds.

FRONT OPENING: Next rnd, k 106 (112, 118, 124) sts, then slip rem 10 (12, 14, 16) sts to st holder for bottom of front opening. Working back and forth, cont St st and C OFF 3 sts at the beg of first 2 rows, 2 sts at the beg of next 4 rows, then dec 1 st at the beg and end of every other row once – 90 (96, 102, 108) sts. Work without further shaping until cap measures 4" (4³/₈", 4³/₄", 5¹/₈")/10 (11, 12, 13) cm from beg of front opening along center back.

TOP: C OFF 30 (32, 34, 36) sts at the beg of next 2 rows – 30 (32, 34, 36) sts. Cont St st and dec 1 st, 1 st in from edges, at the beg and end of every eighth row 4 times – 22 (24, 26, 28) sts. Work without dec until top of cap measures approx 3³/₄" (4", 4¹/₈", 4¹/₂")/9.5 (10, 10.5, 11.5) cm. Slip sts to st holder. Neatly sew top of cap to sides along C OFF edges.

FRONT EDGING: With smaller cir or dp needles, Color 1 and with RS facing, k sts from holder at bottom of front opening, then pick up 16 sts per 2²/₅" cm along right front edge using a crochet hook 1/2-metric size smaller than needles to pick up sts k-wise, k sts from holder at top of opening, then pick up sts along left front edge (total number of sts on needles should be divisible by 4). Join and, working in the rnd, mark beg of rnd. Work 4 rnds of k2, p2 rib. Change to Color 3 and k 1 rnd. Cont rib and work until edging measures approx 1⁵/₈"/4 cm. C OFF loosely in rib. Fold edging to inside along middle of rib and sew loosely to WS.

MITTENS

Sizes: 3 6/9 12/18 24 mo

With smaller dp needles and Color 3, C O 40 (44, 48, 52) sts. Join and, working in the rnd, mark beg of rnd. Work 3¹/₈" (3³/₈", 3³/₈", 3¹/₂")/8 (8.5, 8.5, 9) cm of k2, p2 rib. Change to larger dp needles. Beg St st and work until hand measures 7⁷/₈" (1", 1¹/₈", 1³/₈")/2 (2.5, 3, 3.5) cm from top of rib. Next rnd, k 35 (38, 41, 44) sts, k rem 5 (6, 7, 8) sts with a piece of scrap yarn for thumb opening, then slip these sts back to left needle and k to end of rnd. Cont working until hand measures 2³/₈" (2³/₄", 3¹/₈", 3¹/₂")/6 (7, 8, 9) cm, or approx 5⁵/₈" (7¹/₈", 1", 1")/1.5 (2, 2.5, 2.5) cm short of desired length from top of rib.

TOP SHAPING: Place side markers at the beg of rnd and after 20 (22, 24, 26) sts. Next rnd, * k 1 st, ssk, k 1 st, k2tog, work to 2 sts before next marker; rep from * once more – 36 (40, 44, 48) sts. Rep last rnd 7 (8, 9, 10) more times, with 2 fewer sts between dec sts each time. Gather rem 8 sts on a piece of yarn and fasten securely.

THUMB: Remove scrap yarn from thumb opening and slip resulting 10 (12, 14, 16) loops to larger dp needles and pick up 1 st on each side of opening – 12 (14, 16, 18) sts. Join and, working in the rnd, mark beg of rnd. Beg St st with Color 3, and work until thumb measures 1" (1¹/₈", 1³/₈", 1⁵/₈")/2.5 (3, 3.5, 4) cm, or

desired length. K2tog across next rnd, then gather rem 6 (7, 8, 9) sts on a piece of yarn and fasten securely. Make second mitten to match, placing thumb opening at beg of rnd.

SOCKS

Sizes: 3/6 9/12 18/24 mo

With smaller dp needles and Color 3, C O 44 (48, 48) sts. Join and, working in the rnd, mark beg of rnd and beg rnds at center back. Work $2\frac{3}{8}$ " ($2\frac{3}{8}$ ", $2\frac{3}{4}$ ")/6 (6, 7) cm of k2, p2 rib. Change to larger dp needles.

HEEL: Working back and forth over first and last 11 (12, 12) sts of rnd and slip rem 22 (24, 24) sts to st holders. Beg St st and work until heel measures 1" ($1\frac{1}{8}$ ", $1\frac{3}{8}$ ")/2.5 (3, 3.5) cm, ending with a WS row. Next row, k 13 (14, 14) sts, k2tog, k 1 st, then turn. Slip first st and tighten it slightly, p next 5 sts, p2tog, p 1 st, then turn. Slip first st and tighten it slightly, k 6 sts, k2tog, k 1 st, then turn. Slip first st and tighten it slightly, p 7 sts, p2tog, p 1 st, then turn. Cont working in this manner, working 1 more st at end of every row until all heel sts have been worked – 14 sts.

INSTEP: With RS facing, k heel sts, pick up 8 (9, 9) sts along side of heel flap for instep, place marker, k sts from holders, place marker, pick up 8 (9, 9) sts along rem side of heel flap, then join and work to center of heel – 52 (56, 56) sts. Working in the rnd again, mark beg of rnd and beg rnds at center under foot. Next rnd, k to 2 sts before instep marker, k2tog, k to next instep marker, ssk, then k to end of rnd – 50 (54, 54) sts. Rep last rnd 3 times more – 44 (48, 48) sts.

FOOT: Cont without further dec until foot measures $2\frac{3}{4}$ " ($3\frac{1}{8}$ ", $3\frac{1}{2}$ ")/7 (8, 9) cm, or approx $\frac{7}{8}$ "/2 cm short of desired length from heel.

TOE: Place side markers 11 (12, 12) sts out from beg and end of rnd. Next rnd, * k to 3 sts before side marker, k2tog, k 2 sts, ssk; rep from * once more, then k to end of rnd – 40 (44, 44) sts. Rep last rnd 8 (9, 9) more times. Gather rem 8 sts on a piece of yarn and fasten securely. Make second sock to match.

CAR SACK

FRONT FLAP: With middle size cir or dp needles and Color 1, C O 16 sts. Working back and forth, work $1\frac{5}{8}$ "/4 cm of St st. Slip sts to holder and set aside.

BACK FLAP: With middle size cir or dp needles and Color 1, C O 17 sts. Working back and forth, work $1\frac{5}{8}$ "/4 cm of St st. Slip sts to holder and set aside.

BODY: With smallest cir needle and Color 1, C O 156 (180, 204) sts. Join and, working in the rnd, mark beg of rnd. Work $2\frac{1}{5}$ " cm of k2, p2 rib. Change to middle size cir needle. K 1 rnd and dec 1 st – 155 (179, 203) sts. Place side markers at the beg of rnd and after 78 (90, 102) sts. Cont St st and work until body measures $7\frac{7}{8}$ " ($10\frac{5}{8}$ ", $13\frac{3}{8}$ ")/20 (27, 34) cm from bottom of rib.

BUCKLE OPENING: Next rnd, k 31 (37, 43) sts, k next 16 sts and slip to holder for front buckle opening, k next 61 (73, 85) sts, k the next 17 sts and slip to holder for back buckle opening, then k to end of rnd. Next rnd, k to front opening, with RS facing k sts from holder for front flap, k to back opening, with RS facing k sts from holder for back flap, then k to end of rnd. Cont St st over all sts until body measures $9\frac{7}{8}$ " ($12\frac{5}{8}$ ", $15\frac{3}{8}$ ")/25 (32, 39) cm from bottom of rib.

FRONT PLACKET OPENING: Next rnd, k first 36 (42, 48) sts, C OFF the next 6 sts for placket opening, then k to end of rnd – 149 (173, 197) sts. Next rnd, C O 6 sts over C OFF sts of previous rnd (these are cutting sts; work in background color throughout and exclude from st counts). Work without further shaping until body measures $14\frac{1}{2}$ " ($18\frac{1}{2}$ ", $22\frac{1}{2}$ ")/37 (47, 57) cm from bottom of rib. Cut yarn and slip left front sts from left needle to right needle. Reattach yarn and cont working in the rnd, beg rnds at center of front cutting sts. Change to largest cir needle. Work Pattern B; count back from graph center st for starting point at front placket opening, then work 12-st rep to end of rnd. AT THE SAME TIME, when body measures $20\frac{1}{8}$ " ($23\frac{5}{8}$ ", $27\frac{5}{8}$ ")/51 (60, 70) cm from bottom of rib, C OFF the cutting sts for placket opening.

FRONT NECK OPENING: Working back and forth over front and back of body, beg rows at front neck edges. Cont pattern and C OFF 4 (4, 5) sts at the beg of first 2 rows, 3 sts at the beg of next 2 rows, 2 sts at the beg of next 2 rows, then dec 1 st at the beg and end of every other row 2 (3, 3) times. AT THE SAME TIME, when body measures $20\frac{7}{8}$ " ($24\frac{3}{4}$ ", $28\frac{3}{4}$ ")/53 (63, 73) cm from bottom of rib, shape back neck opening.

BACK NECK OPENING: Cont pattern and rem front neck shaping, work front sts and first 26 (31, 36) sts of back, C OFF the next 25 (27, 29) sts for back neck opening, then work to end of row. Working each side of body separately over both front and back of same shoulder, complete pattern and C OFF every other row at back neck edge, 1 st once – 50 (60, 70) sts. When pattern is complete, body should measure approx $21\frac{5}{8}$ " ($25\frac{5}{8}$ ", $29\frac{1}{2}$ ")/55 (65, 75) cm from bottom of rib. K 1 row with Color 3 on WS (or p 1 row on RS). C OFF. Complete other side of body to match, placing back neck shaping on opposite side.

SLEEVES: With smallest dp needles and Color 1, C O 32 (36, 36) sts. Join and, working in the rnd, mark beg of rnd. Work $1\frac{1}{8}$ " ($1\frac{5}{8}$ ", 2 ")/3 (4, 5) cm of k2, p2 rib. Change to middle size dp needles. K 1 rnd and inc 7 (7, 11) sts evenly spaced across rnd – 39 (43, 47) sts. Cont St st and, AT THE SAME TIME, inc 1 st at the beg and end of every fifth (sixth, seventh) rnd 7 times, leaving 2 sts between inc sts. In the meantime, when sleeve measures $3\frac{1}{8}$ " (4 ", $4\frac{3}{4}$ ")/8 (10, 12) cm from bottom of rib, change to largest dp needles. Work Pattern C, placing center st of graph at center of sleeve and working inc sts into pattern – 53 (57, 61) sts. When pattern is complete, sleeve should measure approx $5\frac{7}{8}$ " ($6\frac{3}{4}$ ", $7\frac{1}{2}$ ")/15 (17, 19) cm from bottom of rib. P 5 rnds with Color 3 for facing, then C OFF loosely. Make second sleeve to match.

FINISHING: Lay body and sleeves out to finished measurements and steam lightly; do not steam ribs. Lay sleeves flat and measure width at top of sleeves below facings. Mark this width on each side of body from shoulders down for armholes. Sew 2 machine seams, 2 sts out from where the side markers were placed and across bottom of the 4 sts for armholes, and along both sides of cutting sts for front placket opening. Cut between the pairs of machine stitching, being careful not to cut stitching at bottom of armholes. Sew shoulder seams as shown on page 1.

NECKBAND: With smallest cir needle, Color 1 and with RS facing, beg at right front and pick up 12 sts per $2\frac{1}{5}$ " cm along neck edge to left front using a crochet hook $\frac{1}{2}$ -metric size smaller than needles to pick up sts k-wise (total number of sts picked up should be divisible by 4 + 2). Working back and forth, beg with a WS row and work $1\frac{1}{2}$ "/2.5 cm of k2, p2 rib, ending with a WS row. Change to Color 3 and k 1 row. Cont rib until neckband measures $2\frac{3}{4}$ "/7 cm. C OFF loosely in rib. Fold neckband to inside along middle of rib and sew loosely to WS (approx $\frac{3}{8}$ "/1 cm of Color 3 should show on RS of neckband).

BUTTON PLACKET: With smallest cir needle, Color 1 and with RS facing, beg at top of neckband and pick up 12 sts per $2\frac{1}{5}$ " cm along left front opening to bottom of placket opening in same manner as neckband, picking up sts along end of neckband through both layers and 1 st in on body side from machine stitching along placket opening (total number of sts picked up should be divisible by 4 + 2). Working back and forth, beg with a WS row and work $1\frac{1}{2}$ "/2.5 cm of k2, p2 rib. C OFF loosely in rib. Mark placement for buttons, placing bottom button approx $1\frac{1}{2}$ "/2.5 cm from bottom of opening, center top button on neckband, then evenly space rem buttons in between.


PLACKET FACING: With smallest cir needle, Color 1 and with RS facing, work behind placket and pick up sts along front opening in same sts as edging were picked up along cut edge only. Working back and forth, beg with a WS row and work 5 rows of St st. C OFF loosely. Carefully trim cut edge, making sure not to cut machine stitching. Fold facing toward body, covering cut edge, then neatly sew facing to WS.

BUTTONHOLE PLACKET: With smallest cir needle, Color 1 and with RS facing, beg at bottom of placket opening and pick up sts along right front opening in same manner as button placket. Working back and forth, beg with a WS row and work approx $\frac{5}{8}$ "/1.5 cm of k2, p2 rib. Next row, work buttonholes, each over

3 sts as marked; work buttonholes by C OFF 3 sts for each, then on next row C O 3 new sts over C OFF sts of previous row. Cont working until placket measures 1 1/2.5 cm. C OFF loosely in rib. Work facing same as for button placket. Lap buttonhole placket over button placket, then neatly sew lower edge of plackets to C OFF edge at beg of placket opening. Sew around buttonholes with Buttonhole St to reinforce.


BUCKLE OPENING FACING: Slip sts from holder at front buckle opening to middle size dp needles. With Color 1 and RS facing, k 1 row. K 1 row on WS for fold line. Beg St st and work until facing

measures 1 1/2.5 cm from fold line. C OFF neatly. Fold facing to inside along fold line and sew neatly to WS. Work facing at back buckle opening to match. Sew a snap fastener to each corner of front and back buckle opening flaps. Securely sew buttons to button placket as marked. Pin sleeves into armholes, placing center of sleeves at shoulder seams. Neatly sew sleeves to body as shown on page 1. On inside, turn facings toward body, covering cut edges, then neatly sew to WS. Neatly sew front and back of car sack tog at lower edge.




PATTERN B
approx 7 1/8" / 18 cm

Center of Back



PATTERN B1
approx 4" / 10 cm

Center st of Sleeves



PATTERN C
approx 2 3/4" / 7 cm

Center st of Sleeves

- = Color 1 = black 0090/natural 0020/ cherry red 4018/mist blue 5813
- ⊗ = Color 2 = natural 0020/black 0090/natural 0020/natural 0020
- = Color 3 = cherry red 4018/cherry red 4018/black 0090/grey hea 0007

Nr. 21301
Heilo/Falk
Unisex, str, S-XXXL

Nr. 21302
Daletta
Daletta, str, XS-XXL



Nr. 21302
Daletta
Daletta, str, XS-XXL



Nr. 21303
Falk. Alt. Heilo/Lerke
Barn, str. 2 – 12 år



Nr. 21303
Falk. Alt. Heilo/Lerke
Barn, str. 2 – 12 år



Nr. 21303
Falk, Alt. Heilo/Lerke
Barn, str. 2 – 12 år



Nr. 21304
Dale Baby Ull
Baby, str. 3 – 24 mnd





Nr. 21304
Dale Baby Ull
Baby, str. 3 – 24 mnd



Nr. 21304
Dale Baby Ull
Baby, str. 0 – 18 mnd



Nr. 21304
Dale Baby Ull
Baby, str. 0 – 18 mnd




0250-0210 Dalegarn AS © 2009 - I oppslag - Foto: Tommy Næss - Stilling: Casring.no ved Kristine Opheim - Repro: Trinn2 AS - Trykk: Høvel AS.
Takk til G- sport, Optikus Mohn, Rye sport og Skigatane / Åsnes for lån av tilbehør.



DALEGARN
dalegarn.no

Dalegarn AS, 5721 Dalekvam, Norge
Tlf. + 47 56595400 Faks + 47 56595450

FORHANDLER:



7 054880 300876