

Festjakke til Baby



DALEGARN

Garn: Baby Ull, 100% ren ny ull.
Posen inneholder garn til jakke og lue i str. 3-24 mnd.
Oppskrift på baksiden. Pinne nr. 2-2 1/2.

RING GJERNE DALEGARN'S STRIKKESERVICE - TLF. 56 59 65 51



Baby Cardigan and Cap - Dale Baby Wool

CARDIGAN - CAP

SIZES:	3	6	12	18	24 months
--------	---	---	----	----	-----------

MATERIALS: Baby Wool

Main Color:	100	150	150	200	200 gr
Contrast Color 1:	50	50	50	50	50 gr
Contrast Color 2:	50	50	50	50	50 gr
Contrast Color 3:	100	100	150	150	200 gr
Contrast Color 4:	50	50	50	50	50 gr
Contrast Color 5:	50	50	50	50	50 gr

COLOR SUGGESTIONS:

I.

MC - red 4227
 CC1 - gold 2317
 CC2 - blue 5545
 CC3 - charcoal 0083
 CC4 - red 4018
 CC5 - natural 0020

II.

MC - green 7854
 CC1 - gold 2317
 CC2 - blue 5545
 CC3 - black 0090
 CC4 - red 4018
 CC5 - natural 0020


SUGGESTED NEEDLE SIZES:

Cir and dp needles in US sizes 0 (2mm) and 2 (2½mm). Use size to obtain correct gauge.

GAUGE: 32 sts and 40 rds of plain st st, or 38 rds of pattern = 4" (10cm)

CARDIGAN

FINISHED MEASUREMENTS:



WATCH GAUGE CAREFULLY TO OBTAIN CORRECT FINISHED MEASUREMENTS!

Picot R/rd = * K 2 tog, yo, repeat from * to end of R/rd.

BODY: Using MC and smaller cir needle, C O 152 - 172 - 180 - 188 - 198 sts. Work back and forth. Work 5 Rs st st, then 1 picot R as shown above, and at end of R, C O 4 new sts = cutting sts, to be worked in MC all Rs and not included in st counts. Join and work in a rd. Work 5 rds st st. Change to larger cir needle. Work Pattern I, beg as shown on graph, and inc on first rd 21 - 19 - 29 - 29 - 29 sts evenly spaced. When Pattern I is complete, work Main Pattern. Work until body measures 9" (23cm) - 10¼" (26cm) - 11½" (29cm) - 12¼" (31cm) - 13" (33cm) from picot R, then work front neck opening. Take all measurements from picot R.

FRONT NECK OPENING: C OFF the 4 cutting sts at center front for front neck opening. Work back and forth, Rs beg at neck opening. Cont to C OFF, 7 - 7 - 8 - 8 - 9 sts at beg of first 2 Rs, then 3 sts at beg of next 2 - 2 - 4 - 4 - 4 Rs, then 2 sts at beg of next 4 - 4 - 0 - 0 - 0 Rs, then 1 st at beg of next 4 - 4 - 8 - 8 - 8 Rs, but when body measures 9 7/8" (25cm) - 11" (28cm) - 12¼" (31cm) - 13 3/8" (34cm) - 14 3/8" (36cm), work back neck opening.

BACK NECK OPENING: C OFF 23 - 23 - 27 - 27 - 29 center sts of back for back neck opening. Work each side separately, and cont to C OFF at back neck every other R, 4 sts 1 time, then 1 st 1 time. Work until body measures 10 5/8" (27cm) - 11¼" (30cm) - 13" (33cm) - 14 1/8" (36cm) - 15" (38cm). Using MC, K 1 R on RS, K 1 R on WS. C OFF. Work second side to match first.

SLEEVES: Using MC and smaller dp needles, C O 44 - 48 - 50 - 52 - 54 sts. Join and work in a rd. Work 5 rds st st, 1 picot rd, 5 rds st st, and on last rd inc 9 sts evenly spaced. Change to larger dp needles. Work Pattern I, center st on graph = center st of sleeve. At the same time, beg to inc 1 st at beg and end of every fourth rd, always leaving 2 sts between inc sts, over rem of sleeve. When Pattern I is complete, work Main Pattern. Work until sleeve measures 7" (18cm) - 7 7/8" (20cm) - 9" (23cm) - 9 7/8" (25cm) - 10 3/8" (27cm) from picot rd. Using MC, K 1 rd, then P 5 rds for sleeve facing. C OFF.

FINISHING: Steam pieces lightly from WS. Sew seams with yarn. Measure upper edge of sleeves without stretching. Mark off this width on each side of the body, from the top down, for armholes. Sew 2 machine seams along each side and across bottom of each armhole area = 4 sts in width, and along each side of the 4 cutting sts at center front. Cut between pairs of machine seams. Sew shoulders tog from RS through P R = K on WS. Sew sleeves in from RS through first st inside machine seams on body, and through lower loops of first P rd of sleeve facing. Sew facing over cut edges on WS of body. Fold lower body and sleeves at picot R/rd and sew neatly to WS.

ARMHOLE EDGING: Using CC5 for Color Suggestions I and II, or CC4 for Color Suggestions III and IV, and using smaller dp needles, pick up 32 sts per 4" (10cm) around armhole, where sleeve is sewn to body. Pick up using method described on page 2. Join and work in a rd. Work 3 rds st st, 1 picot rd, 3 rds st st. C OFF. Fold edging at picot rd, and sew C OFF edge to first rd of edging.


FRONT PLACKETS: Using CC3 and smaller cir needle, pick up 32 sts per 4" (10cm) along left or right side of center front opening. Pick up using method described on page 2. Work first 3 Rs of Pattern I, then using CC2, P 1 R on RS, then work 4 Rs st st for facing. C OFF. Fold placket at P R and sew over cut edge on WS of body. Work second placket to match first.

NECKBAND: Using CC3 and smaller cir needle, pick up 32 sts per 4" (10cm) around neck opening, including tops of plackets. Pick up using method described on page 2. K 1 R on RS, K 1 R on WS, work Pattern II. Then using CC3, P 1 R on RS, and work 8 Rs st st for facing. C OFF. Fold neckband at second P R and sew loosely to WS. Sew on clasps along plackets.

CAP

CAP: Using MC and smaller dp needles, C O 102 - 114 - 126 sts. Join and work in a rd. P 1 rd, K 1 rd, P 1 rd, then work first 11 rds of Pattern I. Using MC, K 4 rds, work 1 picot rd, K 4 rds. Turn work with WS facing out. Change to larger dp needles. Work st st until cap measures 5 1/8" (13cm) - 5 1/2" (14cm) - 5 7/8" (15cm) from point where work was turned.

SHAPING: On next rd, work every fifth and sixth st tog over entire rd. Dec in this manner every fourth rd, with 1 less st between dec sts each time, until there are 17 - 19 - 21 sts rem. Gather rem sts on a piece of yarn and fasten off. Fold cap at picot rd.



- ◻ = MC = red/green
- ◻ = CCI = gold/gold
- ⊗ = CC2 = blue/blue
- ◼ = CC3 = charcoal/black
- ◻ = CC4 = red/red
- ◻ = CC5 = natural/natural